

A , O, OL 363 VALVE AUTOMATIC FILTER VALVE

COMPACT, LOW-PROFILE SOLUTION FOR A BROAD RANGE OF FILTRATION APPLICATIONS



FEA. E. /BENEFL.

3 "

O JION.

604- .__ <



44



14 · · · P | · · · · · | · · ·





ELEC. ICAL

· 11 21 W . L L pr. k, . . . p 1,000

AN. FO ME O JON.

11.00 - ... 1 120/230/. 120/. 100/. 240/. ----240/. ٠٦ ٠٠٠٠ 240/. , = · | · | / (= | - | · 240 / .

, AL, E. ECIFICA ION.

/ * 200 iga 100 iga 100

E FO MANCE

4-20

, AL, E CONNEC, ION.

| (| 2.5 |
|---|------|
| , « J/L »« » | 1.4 |
| (| 4 |
| [,,,] | |
| · · · · • · · · · · · · · · · · · · · · | 0. 5 |

DIMEN. ION.

| \ | | |
|--------------------------|---------|--|
| 1 - 42 | 3.35 | |
| /// • ~/ / · | 1.05 | |
| · · · · · · - • · | +/- 0.5 | |

PENTAIR

All Pentair trademarks and logos are owned by Pentair, Inc. or its affiliates. All other registered and unregistered trademarks and logos are the property of their respective owners. Because we are continuously improving our products and services, Pentair reserves the right to change specifications without prior notice. Pentair is an equal opportunity employer.
4002833 REV B MR14 © 2014 Pentair Residential Filtration, LLC All Rights Reserved.